

20-acrylaldehyde (acrolein) (CAS# 107-02-8)															
Table 1a. Sub-lethal acute poisoning (single dose): Clinical observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW acrylaldehyde = 56.1															
Table 1b. Sub-lethal acute poisoning (single dose): Clinical observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW acrylaldehyde = 56.1															

Table 2a. Lethal acute poisoning (single dose): Clinical observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW acrylaldehyde = 56.1															
Table 2b. Lethal acute poisoning (single dose): Clinical observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW acrylaldehyde = 56.1															

Table 3a. Post-mortem observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
1	Toennes 2002	1	55M	NR		E, (a)	1	(b)	7.2	128			C	NR	NR
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms, symptoms and signs, treatment)]															
MW acrylaldehyde = 56.1															
MW allyl alcohol 58.1															
(a) ingested 250 ml allyl alcohol solution containing 212.5 g allyl alcohol. Acrolein is a metabolite of allyl alcohol.															
(b) concentration of allyl alcohol was 309 mg/ml (5320 µM).															
Table 3b. Post-mortem observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms, symptoms and signs, treatment)]															
MW acrylaldehyde = 56.1															