

31-tetracycline hydrochloride (CAS# 64-75-5)															
<b>Table 1a. Sub-lethal acute poisoning (single dose): Clinical observations (time related)</b>															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
no cases															
<b>Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]</b>															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															
<b>Table 1b. Sub-lethal acute poisoning (single dose): Clinical observations (without time information)</b>															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
no cases															
<b>Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]</b>															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															

Table 2a. Lethal acute poisoning (single dose): Clinical observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															
Table 2b. Lethal acute poisoning (single dose): Clinical observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															

Table 3a. Post-mortem observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															
Table 3b. Post-mortem observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW tetracycline base = 445.5															
For therapeutical blood concentration, refer to 'Summary Description'.															