

67-warfarin (CAS# 81-81-2)															
Table 1a. Sub-lethal acute poisoning (single dose): Clinical observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
1	Toolis 1981	1	64M	A, Z	NR	(a), (b)	18	pl	13.5	44			N S	T	
		1					80	pl	6.8	22					120
		2	54M	A, Z	0.3	(c), ET	5	pl	30.7	100			N S	T	144
2	Hackett 1985	3	45M	A, Z	2	(d), (e), ET	24	pl	111	360			CP; D, G, K	T, (g)	
		3					240	pl	0.2	0.6					240
3	Renowden 1985	4	25M	NR	NR	(f)	6	pl	13	42				(h)	96
4	Bjornsson 1976	5	42F		0.25	(i), ET	24	pl, E	18	60				ST, (j)	144
<b>Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms, symptoms and signs, treatment)]</b>															
MW warfarin 308.4															
(a) on long-term warfarin for a Björk-Shiley prosthetic valve; took an overdose of an uncertain quantity of warfarin.															
(b) also uncertain quantity of digoxin, furosemid and sedatives which not required specific treatment.															
(c) on long-term warfarin for a prosthetic mitral valve; took an overdose of warfarin together with alcohol.															
(d) long-term anticoagulation therapy for reccurent life-threatening thrombosis; took an overdose of warfarin one day before admission to hospital.															
(e) injected himself also 250 000 units of Heparin subcutaneously (toxic amount). By day 3 after overdose, all heparin was inactivated by the administration of protamine.															
(f) plus 10 dextropropoxyphene tablets (dose unknown), and alcohol.															
(g) vitamin K1, several i.v. doses, 20 mg each.															
(h) oral cholestyramine (4 g four times a day) and vitamin K (first intramuscularly 10 mg, then orally 10 mg daily, and then 10 mg daily, i.v.).															
(i) also unknown number of "Soma Compound" tablets (carisoprodol, phenacetin, caffeine); on warfarin 5 mg daily.															
(j) phytanadione (vitamin K1), 40 mg on the first day and 10 mg on the second day.															

warfarin

Table 1b. Sub-lethal acute poisoning (single dose): Clinical observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to recovery): h
1	O'Reilly 1966	1	26F		NR				45	146					
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW warfarin 308.4															
(a) phytonadione (vitamin K1).															
Table 2a. Lethal acute poisoning (single dose): Clinical observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW warfarin 308.4															

Table 2b. Lethal acute poisoning (single dose): Clinical observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW warfarin 308.4															
Table 3a. Post-mortem observations (time related)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW warfarin 308.4															
Table 3b. Post-mortem observations (without time information)															
Ref No.	Reference (linked to full source)	Case No.	Case age/sex	Case category	Dose: g	Notes (case, dose, time)	Time (exposure to sampling): h	Notes (blood sample)	Blood conc.: mg/l	Blood conc.: µM	Metabolite Blood conc.: mg/l	Metabolite Blood conc.: µM	Symptoms and signs	Treatment	Time (exposure to death): h
no cases															
Footnotes [General Glossary (via link) lists definitions of common abbreviations (general terms. symptoms and signs. treatment)]															
MW warfarin 308.4															